





PIANC COPEDEC IX 2016

Ninth International Conference on Coastal and Port Engineering in Developing Countries



www.pianc-copedec2016.com.br



PIANC COPEDEC IX 2016

Ninth International Conference on Coastal and Port Engineering in Developing Countries

From 16 to 21 of October

Rio de Janeiro, Brazil - Royal Tulip Hotel

Book of Abstracts

Theme:

IX PIANC - COPEDEC - 2016 Ninth International Conference on Coastal and Port Engineering in Developing Countries

ISBN: 978-85-64964-09-9

www.pianc-copedec2016.com.br



INTERNATIONAL ORGANIZING COMMITTEE (IOC)

Mr. Freddy Wens, Chairman (Belgium)

Mr. Louis Van Schel, Secretary General PIANC (Belgium)

Mr. Rafael Galvão de Santana, Chairman of the LOC (Brazil)

Ms. Ana Paula Harumi Higa (Brazil)

Mr. David Smith (Jamaica)

Mr. Gary Mocke (South Africa)

Mr. Hartmut Bruehl (Germany)

Mr. Nissanka Perera (Sri Lanka)

LOCAL ORGANIZING COMMITTEE (LOC)

Mr. Rafael Galvão de Santana, Chairman (ANTAQ)

Mr. Aguinaldo José Teixeira (ANTAQ)

Capt. Alberto Pereira Nogueira (Navy)

Mr. Alexandre da Silva Cunha (ANTAQ)

Ms. Ana Paula Harumi Higa (ANTAQ)

Ms. Carolina Piccoli (PIANC YP-Com)

Mr. Jefferson Vianna Bandeira (CDTN)

Mr. Jeová Alves Araújo

Mr. João Dobrochinski (PIANC YP-Com)

Ms. Maria Beatriz Hopf Fernandes (EBEI)

Ms. Tatiana Abreu Ferreira Chalub (ANTAQ)

Ms. Yara Rodrigues de Assunção (ANTAQ)

PAPER SELECTION COMMITTEE

Prof. Ron Cox, Chairman (Australia)

Prof. Charitha Pattiaratchi (Australia)

Prof. Dr. Eloi Melo Filho (Brazil)

Dr. Gary Mocke (South Africa)

Prof. Dr. Han Ligteringen (The Netherlands)

Prof. Paolo Alfredini (Brazil)

Prof. Tomoya Shibayama (Japan)

COPYRIGHT AND REPRODUCTION

Copyright ©2016 to the authors of individual articles. Partial reproductions are allowed, since the source and the authorship be cited. The republication of the works requires permission from ANTAQ and PIANC, responsible for the publication and copyright holders.


627b International Conference on Coastal and Engineering in Developing Countries 9.:2016: Rio de Janeiro, RJ)

Book of Abstracts (electronic resource) / 9th International Conference on Coastal and Port Engineering in developing countries, 16 to 21 of October 2016, Rio de Janeiro [electronic source]: enhancing waterbone transport and coastal development – the challenge of reaching integrated solutions / Organized by ANTAQ and PIANC. [realization by ANTAQ and PIANC] – Rio De Janeiro: ANTAQ, PIANC, 2016.

ISBN: 978-85-64964-09-9

1. Port Engineering 2. Coastal Engineering 3. PIANC 4. ANTAQ





The Proceedings are arranged according to the main themes of the conference presentations, namely: Port Engineering; Port Planning & Management; Inland Navigation; Short Sea Shipping & Coastal Navigation; Coastal Engineering; Coastal Zone & Coastal Risk Management; Port & Coastal Environmental Issues and Climate Change; and Port and Waterborne Transport Logistics and Multi Modal Transport. The individual papers cover a broad range of topics including theory, numerical and physical modeling, field measurements, case studies, design, and management. These papers provide engineers, scientists, planners, developers and authorities with state-of-theart information and guidance on port and coastal engineering and management.

Gary Mocke

PhD, PrEng, D.CE (ASCE) Director: Ports & Marine TerminalsAfrica, Europe & Middle East (AEM)

Table of Contents

012 - 117 Coastal Engineering

- 012 | Evaluation of Cultural Losses and Risks by Coastal Floods
- 014 | A Study on Solitary Wave Overtopping using Lattice Boltzmann Method
- 016 | Experimental investigation on optimizing the projecting side walls of an oscilating water column
- 018 | The effect of solid material received into the coastal zone after extreme heavy rain to coastal processes
- 020 | Sal Rei Breakwater with Single Layer Cubes
- 022 | Dynamics of the Channel-Shoal System at the Amazon River Mouth - Brazil
- 024 | Wheatstone Breakwater Design and Construct of a 980m long breakwater resisting cyclones in a remote location
- 026 | Mitigation of shoreline changes due to variations in offshore wave conditions on short- medium- and long time scales, examples from Brazil
- 028 | Fluid mud dynamics around dredged navigation channel at river mouth port
- 030 | Stability and settlement analysis of compound geo-synthetic materials in coastal protection measures

- 032 The effect of channel deepening on tidal velocity asymmetry in an estuary subject to a mixed tidal regime
- 034 | Defining extreme water levels for design of coastal structures in Jakarta Bay, Indonesia
- 036 | New Large Hydrodynamic Flume Introduction and Wave Propagation Experiments on Abrupt Change Terrain
- 038 | Mitigation of shoreline erosion east of Kitchener drain outlet at the Nile Delta Coast, Egypt
- 040 | A practical method to determine typhoon-induced design wave conditions at nearshore area
- 042 | Evaluation of an operational wave forecasting system applied to the Tubarão Port at Espírito Santo Bay - Brazil
- 044 | Toe Stability of Tetrapodarmoured Breakwaters
- 046 | Analysis of Rubble Mound Breakwater Damage: Case Study of an Existing Breakwater Rehabilitation
- O48 Coastal Engineering Review, Niemeyer Bike-Path Damage
- 050 | Potential Volumetric Changes in an Intertidal Shoal Adjancent to the Proposed LNG Marine Terminal

- 052 | Santinho-Ingleses headland bedform characterization through interferometric data, Santa Catarina Island, southern Brazil
- 054 | Performance based design of coastal structures; A new turkish codes
- 056 | Observations and Modelling of Shoreline and Sandbar Response on a High-Energy Beach
- 058 | Recommendations for the use of SWAN to simulate extreme events
- 060 | Oran Highway Revetment Design
- 062 | The Black Sea and Sea of Azov wave regime: results of numerical simulation
- 064 | Geomorphologic impact of 24 breakwater constructions on Kerala Coast in South West India
- 066 Overview of Wind, Wave and Tidal Conditions along the Brazilian Coast for Coastal Engineering practice
- 068 | Effects of TEBAR Pier at São Sebastião Channel Hydrodynamics and Shoreline Evolution at Ilha Bela
- 070 I Berm breakwaters: designing for wave heights from 3 m to 7 m
- 072 | Spatial distribution of impact pressure on a parapet using tactile sensors
- 074 | An experimental study on the wave oscillation of partially trapped waves
- 076 | Recurve Seawalls to reduce Wave Overtopping
- 078 | Wave overtopping over sea dikes and impact forces on storm walls
- 080 | Coupled Numerical Models to Simulate Wave Run-up in Fresh Water and Dead Sea Water
- 082 | Finite Element stress analysis of a concrete armour block, Kolos
- 084 | Propeller jet flow around pile groups

- 086 | Mud deposits on cassino beach, southern brazil: dredging effects
- 088 | Wave transmission through submerged, smooth and impermeable dikes on a gentle and shallow foreshore
- 090 | Adverse Impact on Drainage System by Unplanned Human Intervention in the South-Western Coastal Part of Bangladesh
- 092 | Natural Harmonize Design Improvements of Hikkaduwa Fishery Harbor
- 094 | Drainage Improvement and Sustainable Water Management of Bhairab River Basin in Bangladesh
- 096 | Motion response of a floating pontoon breakwater through numerical investigation
- 098 | Numerical modelling of wave impact forces on fixed deck structures due to air entrapment
- 100 | Operational Forecasting System in Angra dos Reis - Ilha Grande Bay, Rio de Janeiro/Brazil
- 102 | Sediment Transport Management in Tidal Inlets: Tiab Estuary Case Study
- 104 | Theoretical study on erosion at Cua Dai river delta coast induced by the reduction of sediment supply
- 106 | Morphological evolution of a tidal inlet located along the west coast of India
- 108 | São Francisco River, Brazil: from stability to a migrating mouth
- 110 | Nautical Bottom Approach using Densimetry
- 112 | An experimental study of waveinduced particle velocities in fluid mud layer
- 114 | Mud transport in the Patos Lagoon Estuary, RS, Brazil
- 116 Are Geotextile Encapsulated Sand Elements only Temporary Solutions in Coastal Engineering?

Table of Contents

Coastal Zone and Coastal Risk Management

- 118 | Coastal Process in the Cox's Bazar-Teknaf Area of the Eastern Coast of Bangladesh
- 119 ∣ Modelling for gold
- 120 | Coastal shrubland restoration, a management experience
- 122 I Integration of high-resolution metocean forecast and observing systems at Port of Santos
- 124 I Influence of meteorological tsunamis in ports and marinas
- 126 I Investigation of structural resilience against tsunamis in harbor regions: case study in ambarli port, Turkey
- 128 | Submerged Vertical Cylinder Barriers to Prevent Flooding and Erosion
- 130 | What Makes People Evacuate? Triggers for Tsunami Evacuation

132 - 153 Inland Navigation

- 132 | Conceptual model of fiscal feasibility assessment applied to waterway projects
- 134 | Developing of an integrated system to collect and analysis data
- 135 Urgent solutions to promote inland waterway transport in Vietnam
- 136 | Hydrodynamic Brake Implements for the Bow of Rake Barges in Convoys and for the Stern of Self-Propelled Inland Navigation Vessels
- 138 | Port Development in the Master Plan for Regional Waterborne Transport on the Mekong River
- 140 | Panama canal third set of locks: water saving basins

- 142 | Passenger Satisfaction Survey for Inland Waterways Transportation in Brazil: From user perception to deconstruction of old premises
- 144 Panama Canal Third Set of Locks -Approach Structures
- 146 Regulatory model for inland waterways in Brazil: current stage and possibilities for development
- 148 | Revision and comparison between methods to define the reduction level in waterways
- 150 | The potential for water freight in the South West UK
- 152 Traffic capacity evaluation in consolidated waterways: Tiete river's cascade study case.

154 - 191

Port and Coastal Environmental Issues and Climate Change

- 154 A numerical experiment of supertyphoon and extreme storm surge under RCP 4.5 and RCP 8.5 scenarios
- 156 | Application of chirurgical dredging in contaminated sediments from a tropical coastal environment
- 158 | Ecosystem Service: Framework for an integral decision in maritime projects
- 159 | Estimating maintenance dredging for ports and access channels with a rapid, hybrid approach
- 160 | Effectiveness of adaptive coastal protection in managing wave overtopping and retaining beach views at the crest of seawalls
- 162 | Environmental compliance about marine fuels
- 164 | Experiments and results of the environmental management of the port of Paranaguá-Paraná-Brasil
- 166 | Hydrodynamic aspects of Araçá Cove in São Sebastião - SP
- 168 | Hydro-sedimentary modeling, a precious tool for coastal developments: illustration on a port extension project in France
- 170 I Improvements to the Fluvial Sediment Estimation in SMIC (preliminary results)
- 172 I Institutionalized Green Port Strategy as Performance Measure for Philippine Ports

- 174 Navigating a Changing Climate.
 The Action Plan of PIANC's Think
 Climate Coalition
- 176 | Pollutant Elution Characteristics of Contaminated Sediment Treated by Cement-mixing and Mechanical Dehydration
- 178 | Quantifying metal concentrations in water due to dredging operation in contaminated sediments
- 180 | Sea turtles monitoring program: case study of Açu Port
- 182 | Shipping Emission Inventory in the North Channel of the Yangtze River Estuary based on Terrestrial AIS Data
- 183 | The Environment Performance Index - IDA, a major tool to assess the environmental management of the port sector in Brazil
- 184 | Statistical methodology for reliability analysis of wave height return value estimation models
- 186 | The Influence of Tidal Prism on Port of Santos Dredging
- 188 | Fluid Mud in Santos Harbor (SP, Brazil)
- 191 Vulnerabilities to Climate
 Change is Not Just for Seaports
 Inland River Ports Should Also
 Proactively Address Climate
 Change Vulnerabilities in their
 Planning Processes

Table of Contents

192 - 237 **Port Engineering**

- 192 | A Nonlinear Channel Optimization Simulation Framework for Port of Brisbane Australia
- 193 A procedure for evaluation of the technical feasibility of a vessel approach harbour entrance
- 194 Anchored vessel ship-to-ship operations: environmental limits considering mooring equipments and ship maneuver
- 196 Applying spectral wave models for the design of port layouts and entrance channels
- 198 | Assessment of new port operations using integrated analysis: a case study in Port of Mucuripe (CE, Brazil)
- 199 I Physical model test on emergency protective measures of breakwater construction process
- 200 | Barge Unloading Arrangement At Raslaffan
- 202 | Comparison between 2D and 3D Analysis of Open-piled Quay Walls
- 204 I Damages assessment and rehabilitation of north breakwater at a major port in south east coast of India
- 206 | Hydraulic model studies for proposed fishing port at Messida (wilaya El tarf, Algeria)
- 208 | Including Tidal Windows into a Discrete Event Traffic Simulation to Improve Navigation in Approach Channels
- 210 Influence of the navigation channel geometry on silting of Paranagua Port (Paraná, Brazil).

- 212 | International MSE Wall Experience for Port and Coastal Applications
- 214 Navigation channel at Amazon mouth: problems and perspectives
- 216 I On the development of a dynamic underkeel clearance computational code for Santos Port
- 218 | Portocel the importance of coastal morphology for a greenfield port development
- 220 | Propeller Action and Berth Scour Protection
- 222 | Rubber Fender Manufacturing: best practice from formulation to performance measurement
- 224 | The list of records in Dubai grows longer with the New T3 Container Terminal
- 226 The New Standards PIANC 2014 and their Impact on the Brazilian Harbor Management
- 228 The role of fresh water discharge on siltation rates in harbor basins
- 230 Wave forecasts using an artificial neural network for port construction works management
- 232 | Wave Tranquility and Morphological Implications of Proposed Fishery Harbour in Mussanah, Oman
- 234 | Structural assessment of Berth 208 in accomodating bigger vessels
- 235 | Hindcasting and surveying ocean waves for the Port of Kamsar, Guinea

238 - 247

Port of Santos

- 238 The city and port of Santos: proposal to solve the main relationship conflict
- 240 The "Green Port" concept and the Port of Santos
- 242 | The potential for inland waterway transport of cargo in the Metropolitan Area of Santos Brazil
- 244 The potential for public transport on waterways in the Metropolitan Area of Santos - Brazil
- 246 The railway transport and the Port of Santos: prospects of expansion

248 - 289

Port Planning and Management

- 248 | Bahia Blanca's Deepening, maintaining Argentina's deepest Port
- 250 | Complex Networks Application for Competitiveness Transport Waterway Brazilian
- 252 I Improving Container Terminal Productivity by Simulations
- 253 I Dredging and Transhipment Optimizations Studies for Port of Kamsar, Guinea
- 256 | Dredging Contracting and Management Innovations
- 258 | Formulating goals towards success for Adaptive Port Planning,
 Applied case: Europoort at Port of Rotterdam
- 260 | Hydrodynamics, navigation and mooring simulation tools used for port and harbour design
- 262 I Innovation flexible dolphins by full scale field test laterally loaded tubular piles
- 264 | Mauritius Port Masterplan 2015 2040
- 266 I Modeling and optimization of the stowage plan and handling of containers in port yards by rules representation and genetic algorithm
- 268 | Operational Maritime Weather Forecast for Port Access and Operations using the AquaSafe platform

- 270 | Optimization of integrated port problems using genetic algorithm and simulation through rules
- 272 | Port developments are core elements for future economic growth in Gabon, West Africa
- 274 | Selection of Criteria for Dredging Prioritizing in Seaports
- 276 | State management of ports system in Vietnam existing mechanisms and future changes
- 278 The Ghent Canal Zone Project
 a successful example of
 stakeholders' involvement in an
 industrialized urban area
- 280 | The integration of port development in the overall infrastructure planning of Manila to ensure future economic growth in Philippines
- 282 | Tolu (Colombia) jetty: rehabilitation and maintenance
- 284 Under keel clearance availability at the Port of Itajaí: A study of channel accessibility during the strong wave event in May 2015
- 286 I Integrated Method for the Development of Optimal Channel Dredging Project - Case Study: Terminal Portuário do Mearim
- 289 | Environmental assessment of public ports that trade soybeans using the dea model



PIANC COPEDEC IX 2016

Ninth International Conference on Coastal and Port Engineering in Developing Countries

Agência Brasileira do ISBN



Diamond. Sponsorships





Gold Sponsorships





Silver Sponsorships













Bronze Sponsorships



























































Organization and Travel

